

"PATENT"

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
WILLIAM F. AVRIN ET AL.) Group No: 3737
SERIAL NO.: 09/818,700))
FILED: 27 March 2001) Examiner: UNKNOWN
FOR: SIMPLIFIED WATER-BAG TECHNIQUE FOR MAGNETIC SUSCEPTIBILITY MEASUREMENTS ON THE HUMAN BODY AND OTHER SPECIMENS))))

Commissioner for Patents Washington, D.C. 20231

Sir:

INFORMATION DISCLOSURE STATEMENT

Applicant hereby cites the documents listed in accompanying Form PTO-1449 with respect to the above-referenced patent application under the provisions of 37 C.F.R., Sections 1.56, 1.97 and 1.98. Except for the Farrell publication, copies of the documents are not attached because they were all cited in the parent application.

The filing of this Information Disclosure Statement will not be construed to mean that a search was conducted or that no other material information, as defined by 37 C.F.R. 1.56, exists.

It is Applicant's opinion that the essential features of the invention are neither described in nor obvious from any of the references mentioned above, whether taken individually or in any reasonable combination.

The Examiner is respectfully requested to make the listed documents of record in connection with the prosecution of the subjection application.

Respectfully submitted,

WILLIAM F. AVRIN ET AL.

By: Lawrence A. Maxham

Attorney for Applicant(s) Registration No. 24,483

THE MAXHAM FIRM Symphony Towers 750 "B" Street, Suite 3100 San Diego, California 92101 Telephone: (619) 233-9004 INFORMATION DISCLOSURE CITATION IN AN APPLICATION

(Use Several Sheets If Nocas

Docket No.: 1502-088CON Application No.: 09/818,700

Applicant: William F. Avrin et al.

Filing Date: 27 March 2001 Group Art Unit: 3737

U.S. PATENT DOCUMENTS

			U.S. PATENT DOCUMENTS	<u> </u>		
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	4,431,005	02/84	McCormick	128	656	
	4,709,213	11/87	Padhrasky	324	329	
	5,057,095	10/91	Fabian	604	362	
	5,099,845	03/92	Besz et al.	128	653	
	5,105,829	04/92	Fabian et al.	128	899	
	5,107,862	04/92	Fabian et al.	128	899	
-	5,188,126	02/93	Fabian et al.	128	899	
	5,190,059	03/93	Fabian et al.	128	899	
	5,353,807	10/94	DeMarco	128	772	
	5,425,382	06/95	Golden et al.	128	899	
	5,456,718	10/95	Szymaitis	623	11	
	5,494,033	02/96	Buchanan et al.	128	653	
	5,558,091	09/96	Acker et al.	128	653	
	4,801,882	01/89	Daalmans	324	248	
	4,827,217	05/89	Paulson	324	248	
	4,969,469	08/93	Mills	128	653	
	5,233,992	08/93	Holt et al.	128	653.2	
	5,268,165	12/93	Hedlund et al.	424	9	
	5,305,751	04/94	Chopp et al.	128	654	
	5,322,682	06/94	Bartzokis et al.	424	9	
	5,384,109	01/95	Klaveness et al.	424	9	
	5,408,178	04/95	Wikswo et al.	324	201	
	5,735,279	04/98	Klaveness et al.	128	654	
	5,686,836	12/98	Sasada et al.	324	244	<u></u>
	5,842,986	12/98	Avrin et al.	600	407	·

ا ا	0 8 2001	FOR	EIGN PATENT DOCUM	ENTS					
Tree to	PACH NUMBER		COUNTRY	CLASS	SUBCLASS	TRANSLATION			
	MAUER					YES	NO		
	OTHER DOC	UMENTS (In	cluding Author, Title, D	ate, Pertinent	Pages, Etc.)	•			
			easurement of Human II 3 (Sept. 1990)	on Stores," IE	EE Trans. O	n Magnetic	s, Vol.		
			ique for Measuring the ts," J. Appl. Phys. 58 (•	•		uman		
	F.M. Bryden, '727-731 (199		Itrasound in the Assess	ment of Intrao	cular Foreigi	n Bodies," I	ye 4, p		
			etic Measurement Techi nal Conference on Biom			Bodies in			
	E.J. Finn, "Fei pp. 139-141 (-	Materials in Patients: D	etection Befor	e MR Imagin	g," Radiolo	gy 156,		
		•	tic Reconstruction of M Problems 9, pp. 271-28	•	s in the Bioe	lectromagn	etic		
	E. Kanal, "And Radiology, pp.		esting for Ferromagnet 995).	ic Properties:	Clip Variabil	ity Issues,"			
	Mentor Corpo	Mentor Corporation, "The Detector, Injection Port Detection System," Brochure, 6 pp., (1996)							
	· · · · · · · · · · · · · · · · · · ·	D.N. Paulson, "Biomagnetic Susceptometer with SQUID Instrumentation," IEEE Transactions or Magnetics, Vol. 27, No. 2, pp. 3249-3252 (1990).							
			rg Biosusceptometer fo 0, (Date Unknown).	r Liver Iron Qu	antification,	" Advances	in 		
	K. Sekihara, "Reduction of Brain Noise Influence in Evoked Neuromagnetic Source Localizatio Using Noise Spatial Correlation," Phys. Med. Biol. 39, pp. 937-946, (1993).								
		nd Paramagr	usceptibility Tomograp letic Objects," IEEE Tra				6, pp.		
	F.G. Shellock, (1996).	"Magnetic F	esonance," Bioeffects,	Safety and Pa	tient Manag	ement, pp.	115-12		
	N. Smith, "A I 5084 (1991).	High-Sensitiv	ity Magnetoresistive Ma	ignetometer,"	J. Appl. Phy	rs. 69 (8), p	p. 5082		
			ed Current Dipole Local I Engineering, Vol. 41,						
			uperconducting Gradion E Transactions on Mag						
AMINER			DATE COM	ISIDERED					